RECEIVED
CENTRAL FAX CENTER FAX NO.

MAR 1 1 2008

Customer No.: 31561 Docket No.: 12445-US-PA Application No.: 10/709,605

**AMENDMENT** 

Please amend the application as indicated hereafter.

To the Claims:

Claim 1 (original) A handheld electronic device, comprising:

a first casing having a front surface and a rear surface, a display screen being

mounted on the front surface;

a second casing pivoted to the rear surface of the first casing about a hinge

section; and

an image-capturing apparatus set up on the second casing for capturing an image,

wherein the image-capturing apparatus is set up at a distance away from the hinge

section between the first casing and the second casing, and the second casing is permitted

to move between first and second positions, wherein at the first position, the second

casing is received in the rear surface of the first casing, and at the second position, the

second casing is located outside the first casing and the image-capturing apparatus and

the display screen face a same direction.

Claim 2 (original) The handheld electronic device of claim 1, wherein the

image-capturing apparatus and the display screen each face a different direction when

the second casing is at the first position.

Claim 3 (original) The handheld electronic device of claim 1, wherein the rear

2

FAX NO.

MAR-11-2008 TUE 16:10

P. 05/15

Customer No.: 31561 Docket No.: 12445-US-PA

Application No.: 10/709,605

surface of the first casing comprises a hinge-accommodating groove accommodating the

second casing, the groove having an opening through a top wall of the first casing, the

image-capturing apparatus extending through the opening when the second casing is

located at the second position.

Claim 4 (original) The handheld electronic device of claim 3, wherein the top

wall of the first casing has an extension plate over the opening, and the second casing has

a groove accommodating the extension plate when the second casing is at the second

position.

Claim 5 (original) The handheld electronic device of claim 3, wherein when the

second casing is at the second position, the second casing tightly abuts against an edge of

the top wall of the first casing.

Claim 6 (original) The handheld electronic device of claim 4, wherein the

image-capturing apparatus has a lens.

Claim 7 (original) The handheld electronic device of claim 6, wherein the

handheld electronic device has wireless communication capability.

Claim 8 (original) The handheld electronic device of claim 7, wherein the

handheld electronic device is a mobile phone.

3

FAX NO. P. 06/15 MAR-11-2008 TUE 16:10

> Customer No.: 31561 Docket No.: 12445-US-PA

Application No.: 10/709,605

Claim 9 (original) A handheld electronic device, comprising:

a first casing having a front surface mounted with a display screen thereon;

a second casing pivoted to the first casing about a hinge section and movable

between first and second positions relative to the first casing;

an image-capturing apparatus mounted on the second casing and spaced from the

hinge section a distance, wherein at the first position, the image-capturing apparatus faces

a direction different from that of the display screen and the hinge section is located

between the display screen and the image-capturing apparatus, and at the second position,

the image capturing device face a direction the same as that of the display screen and an

image captured by the image-capturing apparatus is shown on the display screen.

Claim 10 (original) The handheld electronic device of claim 9, wherein at the first

position, the second casing is accommodated in a rear surface of the first casing, and at the

second position, the second casing has a portion projecting out of the first casing.

Claim 11 (withdrawn) The handheld electronic device of claim 9, wherein the

second casing has a window, and at the second position, the display screen is covered by

the second casing with a portion of the display screen being exposed to outside through

the window.

Claim 12 (withdrawn) The handheld electronic device of claim 9, wherein the

second casing has a length shorter than that of the first casing, and at the second position,

PAGE 6/15 \* RCVD AT 3/11/2008 4:09:24 AM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-4/20 \* DNIS:2738300 \* CSID: \* DURATION (mm-ss):03-56

FAX NO. P. 07/15

MAR-11-2008 TUE 16:10

Customer No.: 31561 Docket No.: 12445-US-PA

Application No.: 10/709,605

a portion of the display screen is covered by the second casing, and the other portion of the

display screen is exposed.

Claim 13 (withdrawn) The handheld electronic device of claim 9, wherein the

second casing has a window, and at the second position, the front face of the first casing is

covered by the second casing and the display screen is entirely exposed through the

window.

Claim 14 (withdrawn) The handheld electronic device of claim 13 further

comprising a speaker mounted on the second casing and a number of keys mounted on the

front face of the first casing.

Claim 15 (withdrawn) The handheld electronic device of claim 9, wherein the first

casing further comprises a window, and at the second position, a rear surface of the first

casing is covered by the second casing, and the image-capturing apparatus is exposed

through the window.

Claim 16 (withdrawn) The handheld electronic device of claim 15 further

comprising a plurality of keys mounted on the second casing, and the keys and the

image-capturing apparatus being mounted on opposites surfaces of the second casing,

respectively.

FAX NO.

P. 08/15

MAR-11-2008 TUE 16:10

Customer No.: 31561 Docket No.: 12445-US-PA

Application No.: 10/709,605

Claim 17 (original) A handheld electronic device, comprising:

a first casing having a display screen thereon;

a second casing having an image-capturing apparatus mounted thereon, wherein

the second casing is pivoted to the first casing and can be flipped between first and second

position, wherein at the first position, the image-capturing apparatus faces a direction

opposite to that of the display screen and at the second position the image capturing

device faces a direction the same as that of the display screen.

Claim 18 (original) The handheld electronic device of claim 17, wherein at the

first position, the second casing is received in a grooved defined in the first casing and at

the second position, the second casing has a portion in which the image-capturing

apparatus is mounted projecting out of the first casing.

Claim 19 (original) The handheld electronic device of claim 18 further

comprising keys on the first easing for manipulating the image-capturing apparatus.

Claim 20 (withdrawn) The handheld electronic device of claim 18, wherein the

second casing has a window and at the second position, the display screen is exposed

through the window, and wherein the first casing further comprises keys below the

display screen.

Claim 21 (withdrawn) The handheld electronic device of claim 18, wherein the

6

Customer No.: 31561 Docket No.: 12445-US-PA Application No.: 10/709,605

first casing has a window and at the second position, the image-capturing apparatus is exposed through the window.